


Pop Perçin / Bulbfix | Bombe Kafa



Alüminyum[AlMg2,5]
Parlatılmış

Alüminyum[AlMg5]
Parlatılmış

Ölçülendirme						Kuvvet		
Ø d	l		Ø d _k	k	Ø d _m	p		
[mm]	[+1/-0,2]	[mm]	[mm]	[mm]	[mm]	[mm]	Kopma[N]	Kesme[N]
4,0	13,6	1,0-3,0	8,0 [+/-0,29]	≤1,4	~2,30	≥27	800	600
[+/-0,1]	18,8	1,0-7,0						
Ø 4,2 [4,4 max]								
4,8	15,3	1,0-4,0	9,6 [+/-0,29]	≤1,6	~2,90	≥27	1.100	800
[+/-0,1]	20,5	1,0-9,0						
Ø 5,0 [5,2 max]	24,5	4,0-12,0						

* Daha fazla bilgi için lütfen bize ulaşın. info@atabaglanti.com.tr

www.atabaglanti.com.tr