


Pop Perçin / Multigrip | Bombe Kafa



Alüminyum [AlMg2,5]
Parlatılmış

Çelik
Çinko Kaplama

Ölçülendirme						Kuvvet		
Ø d	l [+1/-0,2]		Ø d _k	k	Ø d _m	p		
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	Kopma[N]	Kesme[N]
3,0	6,0	0,5-3,0	6 [+/-0,24]	≤1,4	~1,70	≥27	655	520
[+0,05/-0,13] 	8,0	0,5-5,0						
Ø 3,1 [3,3 max]	10,0	2,5-7,0						
	12,0	4,5-9,0						
3,2	6,0	0,5-3,0	6 [+/-0,24]	≤1,4	~1,78	≥27	980	680
[+0,05/-0,13]	8,0	0,5-5,0						
Ø 3,3 [3,5 max] 	9,5	2,0-6,5						
	10,0	2,5-7,0						
	11,1	3,5-8,0						
	12,0	4,5-9,0						
	12,7	5,5-9,5						
	14,0	6,5-11,0						
	16,0	8,5-13,0						
4,0	6,0	0,5-2,5	8 [+/-0,29]	≤1,7	~2,18	≥27	1.600	1.150
[+0,05/-0,13] 	8,0	0,5-4,5						
Ø 4,1 [4,3 max]	9,5	1,0-6,0						
	10,0	1,5-6,5						
	12,0	3,5-8,5						
	12,7	4,0-9,5						
	14,0	5,5-10,5						
	16,0	7,5-12,5						
	17,0	8,5-13,5						
	18,0	9,5-14,5						
	20,0	11,5-16,5						
4,8	10,0	0,5-5,0	9,5 [+/-0,29]	≤2,0	~2,78	≥27	2.350	1.500
[+0,05/-0,13] 	10,3	0,5-5,5						
Ø 4,9 [5,2 max]	12,0	2,0-7,0						
	14,0	4,0-9,0						
	15,1	5,0-10,5						
	16,0	6,0-11,0						
	17,0	7,0-12,0						
	18,0	8,0-13,0						
	20,0	10,0-15,0						
	22,0	12,0-17,0						
	24,0	14,0-19,0						
	24,8	14,5-19,5						

* Daha fazla bilgi için lütfen bize ulaşın. info@atabaglanti.com.tr

www.atabaglanti.com.tr