


Pop Perçin / Sızdırmaz | Bombe Kafa



Alüminyum[AlMg5]
Parlatılmış

Çelik
Çinko Kaplama

Ölçülendirme						Kuvvet		
Ø d	l [+1/-0,2]		Ø d _k	k	Ø d _m	p		
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	Kopma[N]	Kesme[N]
3,2	6,5	0,5-2,0	6,0 [+/-0,24]	≤1,4	-1,70	≥27	1.250	1.070
[+/-0,08]	8,0	2,0-3,5						
	9,5	3,5-5,0						
Ø 3,3	10,7	5,0-6,5						
	12,7	6,5-8,0						
4,0	8,0	0,5-3,5	8,0 [+/-0,29]	≤1,7	-2,18	≥27	2.240	1.700
[+/-0,08]	9,5	3,5-4,5						
	11,0	4,5-6,5						
Ø 4,1	12,7	6,5-8,0						
	15,0	8,0-10,5						
4,8	8,0	1,0-3,0	9,5 [+/-0,29]	≤2,0	-2,63	≥27	3.100	2.200
[+/-0,08]	9,5	3,0-4,5						
	11,0	4,5-6,0						
Ø 4,9	12,5	6,0-7,5						
	14,0	7,5-9,0						
	16,0	9,0-11,0						
	18,0	11,0-13,0						
	21,0	13,0-16,0						
	25,0	16,0-20,0						
6,4			12,7 [+/-0,35]	≤2,5	-3,70	≥31	4.900	3.950
[+/-0,11]	12,5	1,5-6,0						
	16,0	6,0-8,0						
Ø 6,5								

* Daha fazla bilgi için lütfen bize ulaşın. info@atabaglanti.com.tr

www.atabaglanti.com.tr